ECG EQUIPMENT

Section E ECG EQUIPMENT

Kenz ECG 108 and ECG 110

- Compact and Lightweight – less than 2.5kg including the built-in rechargeable battery
- Excellent Recording Quality – clear and precise ECG tracings with digital filters to eliminate AC interference, baseline drift and muscle tremor
- Solid Construction – manufactured from the best materials and to the highest standards
- Easy Operation – recording by just one-touch of the run/stop button
- Alphanumeric Patient Data Entry – ID, name, sex and notations can be added to the report
- Portable – built-in carry handle and rechargeable power supply
- LCD Control Display – ECG settings and parameters are easily checked
- ECG Preview Display (Model 110 Only) – view all 12 ECG channels, prior to print and for long-term monitoring
- Versatile Recording Modes – select between manual and fully automatic programs
- Package Includes – ECG, user manual, patient cable, power supply lead and disposable electrode tab system
- Dimensions – 356(w) x 230(d) x 85(h) mm; weight 2.2kg (108), 2.4kg (110)
- 3 Year warranty

382-232259 KENZ Model 108 ECG
382-232235 KENZ Model 110 ECG

KENZ Cardico Model 302 ECG

- 3 Channel ECG – clear, concise report in 3 channel format
- Excellent Recording Quality – clear and precise ECG tracings with digital filters to eliminate AC interference, baseline drift and muscle tremor
- ECG Preview Display – view all 12 ECG channels on 5.7" back-lit LCD display prior to report print and for long-term monitoring
- Versatile Recording Modes – choose from 6 modes of operation:
  - Automatic - Freeze
  - Pre-check - Post-stress
  - Manual - Long-term
- Compact and Portable – manageable unit with built-in carry handle and rechargeable power supply
- Accurate ECG Interpretation – based on simultaneous acquisition of all 12 leads
- PC Ready – transmits data to ECG management software ECG Data Viewer, for paperless storage and referral
- Simple Controls – ECG settings and parameters are easily checked
- Solid Construction – manufactured from the best materials and to the highest standards
- Package Includes – ECG, user manual, patient cable, power supply lead and disposable electrode tab system
- Dimensions – 320(w) x 230(d) x 75(h) mm; weight 3.0kg
- 3 Year warranty

382-231153 KENZ 302 ECG

KENZ CVS02 ECG Data Viewer Software

- Powerful and Versatile Software - that makes ECG data management as simple as possible.
- Paperless ECG Storage – for KENZ® Cardico ECG's 302, 1210 and 1211
- Real Time ECG – displayed on-screen in a choice of selectable formats
- Edit Options – for interpretation statement and comments
- Arrhythmia Analysis – up to 5 minutes with ANST (Autonomic Nervous System Test) report
- 12 Lead ECG Display – with over-read and serial patient ECG comparison
- Import and Export – save to patient records, quickly and easily
- Multiple Save Formats – JPG, PNG, BMP, PDF

382-236271	CVS02 for Cardico 302 ECG
382-236264	CVS02 for Cardico 1210 ECG
382-236257	CVS02 for Cardico 1211 ECG





KENZ Cardico 1210 ECG

- Full Format ECG – printed on A4 size paper in 3, 4, 6 or 12 channel format
- Excellent Recording Quality – clear and precise ECG tracings with digital filters to eliminate AC interference, baseline drift and muscle tremor
- ECG Preview Display – view all 12 ECG channels on 5.7" back-lit LCD display prior to report print and for long-term monitoring
- Multiple Print Modes – including automatic, manual and long-term monitoring
- ECG Interpretation Report – accurate, comprehensive ECG interpretation and analysis
- Internal Paper Compartment – for thermal ECG paper in z-fold packs or rolls
- Internal Memory – storage for up to 100 ECG's for review and archiving
- PC Ready – ECG can be transmitted to ECG Data Viewer software
- Easy Controls – ECG settings and parameters are easily checked
- Solid Construction – manufactured from the best materials and to the highest standards
- Package Includes – ECG, user manual, patient cable, power supply lead and disposable electrode tab system
- Dimensions – 430(w) x 330(d) x 125(h) mm; weight 6.5kg
- 3 Year warranty

382-231214	KENZ Cardico 1210 ECG

Section E ECG EQUIPMENT

KENZ Cardico 1211 Network ECG System

- ECG with Management and Network Capabilities – to meet the demands of a modern clinical environment
- Touch-Screen LCD Display – with wide viewing angle colour display featuring touch-control of ECG functions
- Large Capacity Memory – up to 1000 ECG's stored internally, plus optional memory card for an extra 1000
- Networking – Cardico 1211 features LAN connection for functional data management and electronic archiving via Kenz ECG Data Viewer Software
- Arrhythmia Screening – unique long-term monitoring features full-disclosure and summary report for:
  - Supra-Ventricular Premature Contraction
  - Ventricular Premature Contraction
  - Atrial Fibrillation
- Clear Controls – simple user interface is easy to operate
- Solid Construction – manufactured from the best materials and to the highest standards
- Package Includes – ECG, user manual, patient cable, power supply lead and disposable electrode tab system
- 3 Year warranty

382-236288 KENZ Cardico 1211 ECG

Cardioline Click ECG

- Click ECG – direct to PC 12 lead ECG acquisition
- Compact and Convenient – pocket sized slimline Click recorder
- USB Connectivity – ECG is transferred and device is powered via USB connection
- Automatic Signal Transfer – simple to operate with automatic transfer of ECG to PC
- Click PC Software – user-friendly software to view live ECG, save 10 second 'snapshots', print and transfer for referral and electronic archiving
- ECG Review – ECG's can be recalled and reviewed in detail, using zoom and measurement markers
- Export – the ECG can be sent in PICT or JPEG format via fax, email or within a network
- Safety Assured – patient is isolated from the PC via optical isolator contained in the Click recorder
- Long-Reach – the patient can be up to 5 metres away from the PC

Options:

- ECG Interpretation – a powerful, comprehensive ECG interpretation program within the PC
- Stress Test – use Click ECG to perform basic stress ECG tests, with automatic control of the treadmill or ergometer and step-bystep analysis
- Package Includes – Click recorder, patient cable, USB cable, storage bag, software, user manual and electrodes

81019511 Click ECG Package

Accessories and Options:

9INRECLI Interpretation upgrade
9STRECLI Stress Test upgrade
63050081 Stress Test Patient Cable 10 lead

Cardioline Elan 1100 ECG

- Versatile 12 Lead ECG – view simultaneous 12 lead ECG and print in 3 or 6 lead formats
- QWERTY Keyboard – input patient details and select settings quickly and easily
- LCD Display – view ECG and choose settings on the back-lit LCD display
- Compact Dimensions – 320(w) x 250(d) x 90(h) mm
- Expandable – to include full network connectivity, internal memory and PC software

Options:

- Cube ECG Software – manage your patients and their ECG's, review and compare
- Memory – internal storage for up to 100 ECG's
- Network Enabling
- ECG Interpretation software
- Stress Test – perform basic stress test with automatic control of your treadmill or ergometer
- Rechargeable Power Supply – mains or built-in battery powered
- Package Includes – ECG, patient cable, patient connection electrodes and user manual

80509541	Elan 1100 ECG

Accessories and Options:

9INE110V	Measurement & Interpretation upgrade
9STE110V	Stress Test upgrade
9MEE110V	Memory upgrade, 100 patients
9NTE110V	Network enabling
9RTE110V	PC ECG enabling (requires Cube software)
85009500	Cube ECG PC software

ECG Gel

TR5036	ECG Gel 260ml

Disposable Razors

GS4016	Single Blade Razors green, pack of 10
GS4116	Double Blade Razors blue, pack of 10



Section E ECG EQUIPMENT

Cardioline AR600 ECG

- Compact 3 Channel ECG – fully featured, portable, with compact dimensions of just 250(w) x 185(d) x 60(h)mm
- Multiple Print Formats – 1,2 or 3 channel and 2 channel with rhythm strip on 60mm wide thermal paper
- Standard and ADV – choose from the basic model or ADV model with LCD control panel and patient data entry
- Interpretation – ADV model includes ECG analysis and carry case as standard
- Infrared Communication – built-in infra-red transmitter for PC communication (requires enabling, receiver and Cube PC software)
- Choice of Print Modes – choose from manual and automatic print
- Rechargeable Power Supply – mains or built-in battery powered
- Copy Function – print a second copy for referral
- VET Model – available with 5 lead veterinary cable
- Package Includes – ECG, patient cable, patient connection electrodes and user manual

8040951 AR600

80509511 AR600adv

80409504kit1	AR600 ECG with carry case
80409511kit2	AR600 ADV with interpretation and carry case

Accessories and Options for AR600 ECG:

9PC0600A PC	ECG enabling (requires IR adaptor and Cube software)
63090210	Infrared PC adaptor
85009500	Cube ECG PC software

Cardioline AR2100 ECG

- Full Format ECG Recorder – A4 print format in multiple pre-programmed formats
- Choice of 2 models – AR2100 ADV and AR2100 VIEW
- LCD Display – featuring ECG settings, heart rate and mode selection (AR2100 ADV only)
- Large LCD Display – featuring ECG display, system settings, mode selected, heart rate and more (AR2100 VIEW only)
- Extensive Options – including heart rate variability (HRV), arrhythmia monitor, memory and PC ECG (AR2100 VIEW only)
- Full QWERTY Keyboard – 'soft' keys, easy to clean
- High Quality Trace – thermal printer with easy to read ECG trace
- Copy Function – print a second copy for referral purposes
- Online User Guide – simple reference guide for the operator
- ECG Interpretation – extensive interpretation and analysis report
- FREE Universal ECG Trolley – with the AR2100 VIEW ECG!
- Rechargeable Power Supply – mains or built-in battery powered
- Package Includes – ECG, patient lead, power supply lead, patient connection electrodes and user manual

Cardioline AR2100 VIEW ECG's are NOW supplied with Bluetooth communication to PC as standard – for total wireless freedom.

80609056kit9	AR2100 ADV ECG with interpretation
80609521kit11	AR2100 VIEW ECG with interpretation and trolley

Accessories and Options for AR2100 VIEW ECG:

9PC210BT	PC ECG enabling
85009500	Cube ECG PC software
9AR210BT	Arrhythmia upgrade
9HR210BT	HRV upgrade
9ME210BT	Memory upgrade
9PA210BT	Measurement upgrade

Accessories for AR2100 ADV and AR2100 VIEW ECG's:

65090025	Dust cover

Section E ECG EQUIPMENT

Cardioline Exercise Equipment

Cardioline exercise equipment, xr200 and xr400 cylco-ergometers and xr500 treadmill, are well-built, robust and reliable partners for the Cardioline stress ECG solutions. Each unit can be remotely controlled by your stress system via the digital and analogue interface.

xr200 Cyclo-Ergometer

- Speed independent load from 25 to 999watt
- Fully adjustable handlebars and saddle
- LCD display of operational data
- User defined exercise programs
- Optional: Integrated blood pressure measurement module

67010024	xr200 Cyclo-Ergometer
67010025	xr200bp Cyclo-Ergometer with BP module

xr400 Cyclo-Ergometer

- Speed independent load from 25 to 1200watt
- Suited to athletic testing and sports medicine
- Hi res LCD display for control and viewing of all test and training phases
- Low step-through design provides easy access for all users
- Adjustable handlebars and saddle
- Digital PC interface for integration with all Cardioline Stress ECG solutions

67010012	xr400 Cyclo-Ergometer

xr500 Treadmill

- Centrally mounted motor pulls the belt, ensuring constant tension
- Auto-centring, auto-lubricating and anti-static belt
- Rotary controller for main functions and menus
- Large LCD panel
- Tests according to Astrand and Conconi, physical state (IRI) and cardiovascular recovery (shuttle and 6m walk tests)

67010013	xr500 Treadmill

Select ECG Trolley with 3 shelves/drawers

- High quality ECG trolley for secure storage of ECG accessories
- Available with drawer unit (shown) or with a second sliding shelf
- Cable arm provides neat and tidy kink free storage for ECG cable
- 50cm x 45cm working surface provides large non-slip working surface
- Lower shelf slides out for easy access
- Durable white epoxy resin finished metal framework, with white melamine shelves
- Attractive blue and white finish
- 82cm overall height
- Free running 75mm antistatic castors with 2 brakes
- Flat packed but very easy to assemble

MW10540CB	Select ECG Trolley with drawer
MW10542CB	Select ECG Trolley with sliding shelf

Section E ECG EQUIPMENT

Select Medi-Wagon ECG Trolley

- Height adjustable from 75cm to 100cm
- Large working platform of 50cm x 60cm
- 4 large 100mm castors with 2 brakes
- 2 large drawer units for safe, tidy and secure storage of accessories
- Cable arm for safe, kink free storage of ECG cable

MW500HVCB	Select Medi-Wagon ECG Trolley

Universal ECG Trolley

- Robust, hard-wearing ECG trolley
- Optional: Patient cable boom (as pictured)
- Large platform in tough plastic fits all ECG machines
- Easy to clean surfaces
- Steel framework in complimentary royal blue finish
- Large 80mm castors with brakes
- Drawer as standard
- Shelf with formed compartments for accessory storage
- Excellent value for a quality trolley

63090220	Universal ECG Trolley
63090136	Patient cable arm

P-OX 10 - ECG / Sp02 Monitor



- Dual reading patient monitor, displaying ECG waveform and SpO2 readings
- Current beats per minute and saturation levels are displayed continuously
- Simple to operate with a single dial for all controls
- High contrast Graphik backlit LCD screen
- Infrared interface for printer and PC connection
- Pulse tone with SpO2 dependant pitch
- Alarms with adjustable limits
- Built-in accumulator pack allows total portability (6 hours running time)
- High specification at a competitive price
- Robust construction with easy to clean ABS casing
- Includes ECG cable and SpO2 fingerclip probe
- Dimensions 230(w) x 200(d) x 80(h)mm; weight 1.5kg

POX10 P-OX 10 - SpO2 and ECG Monitor
POX10L with plethysmogram and SpO2 (no ECG)

Options for the P-OX 10 Patient Monitor:-
POX10-Printer Infrared printer for P-OX 10
POX10-Soft PC Software pack
POX10-Case Carrying Case for P-OX 10

ELAN - Multi-Parameter Patient Monitor

- 4 measuring parameters:-
  - SpO2
  - ECG
  - Non-invasive blood pressure (NIBP)
  - Respiration rate
- Optional integrated capnograph (CO2)
- Simple to operate with single dial control
- Waveform and trend display
- Fully adjustable alarm limits
- High contrast coloured LCD display with backlight
- Trace speeds 12, 25 or 50mm seconds
- 24 hour patient trend data storage
- Pulse tone with SpO2 dependent pitch
- Interface for PC and printer
- Operation via mains power or internal rechargeable accumulators
- Elan is supplied complete with SpO2 finger probe, ECG cable, Adult NIBP cuff, carry case and full user instructions
- Dimensions 230(w) x 200(d) x 120(h)mm; weight 3kg

ELAN Elan Patient Monitor, complete
ELAN-CAP Elan with Capnograph CO2 Monitor

Section E ECG EQUIPMENT – PAPER

ECG Equipment - Paper

All our ECG paper, accessories and consumables are made from the highest quality materials to manufacturers own specifications. You can be sure of a clear trace, first time every time. It is important to buy good quality ECG paper to avoid damage to the delicate thermal print heads, common to all ECG machines. Paper is supplied in rolls or flat z-fold packs.

Brand:	Size:	Roll/Z-fold pack:	Code:	Quantity:
Cardioline				
Delta 1	50mm x 30m	Roll	8743550	1
Delta 1	50mm x 30m	Roll	8743550/10	10
Delta 1plus	60mm x 30m	Roll	8743560	1
Delta 1plus	60mm x 30m	Roll	8743560/10	10
Delta 1plus	60mm x 100mm	Z-fold	8745558	300
Delta 1plus	60mm x 100mm	Z-fold	8745558/10	10 x 300
Delta 3plus	112mm x 100mm	Z-fold	CG2100	300
Delta 3plus	112mm x 100mm	Z-fold	CG2100/10	10 x 300
Delta 60plus	210mm x 30mm	Roll	CG3556	1
Delta 60plus	210mm x 30mm	Roll	CG3556/10	10
Delta 60plus	210mm x 280mm	Z-fold	CG2180	200
Delta 60plus	210mm x 280mm	Z-fold	CG2180/10	10 x 200
Elan	210mm x 280mm	Z-fold	66010043	200
Elan	210mm x 280mm	Z-fold	66010043/10	10 x 200
Elan 1100	112mm x 100mm	Z-fold	66010044	200
Elan 1100	112mm x 100mm	Z-fold	66010044C	10 x 200
AR600	60mm x 15m	Roll	66010037	1
AR600	60mm x 75mm	Z-fold	66010040	250
AR1200	120mm x 100mm	Z-fold	66010039	250
AR1200	120mm x 100mm	Z-fold	66010039C	10 x 250
AR1200	120mm x 20m	Roll	66010033	1
AR1200	120mm x 20m	Roll	66010033C	10
AR2100	210mm x 20mm	Roll	66010045	5
AR2100	210mm x 150mm	Z-fold	66010045C	5 x 200
ETA 150	50mm x 30m	Roll	ETA150	10
Cardioline E1	50mm x 30m	Roll	CAR5030E	10
Cardioline E3	134mm x 30m	Roll	CA13430	10
Seca				
Seca CT1000	50mm x 30m	Roll	CT467	10
Seca CT6 range	210mm x 280mm	Z-fold	CG280P	215
Seca CT3000	90mm x 70mm	Z-fold	CG070P	400
Seca CT6300–6900	210mm x 150mm	Z-fold.	OB210150P4	10 x 170
Seca CT3000B M I	90mm x 28mm	Roll	OB9028	10
Seca 8000i	80mm x 70mm	Z-fold	CG800i	1

ECG Equipment - Paper - CONTINUED

Brand:	Size:	Roll/Z-fold pack:	Code:	Quantity:
Schiller				
Schiller AT1	90mm x 90mm	Z-fold	CG132	200
Schiller AT101	80mm x 70mm	Z-fold	OB8070P	10 x 200
Schiller AT2	210mm x 280mm	Z-fold	CG280P	215
Schiller AT3	70mm x 100mm	Z-fold	SH70100P	10 x 200
Schiller AT4	90mm x 90mm	Z-fold	SH9090P2	10 x 200
Kenz				
Kenz 130/106/108/110	50mm x 30mm	Roll	KE5030	10
Kenz 103/106/108/110	63mm x 30mm	Roll	KE6330	10
Kenz Cardico 302	112mm x 90mm	Z-fold	KE11290P	5
Kenz Cardico 1210	210mm x 300mm	Z-fold	382-335219	5
Kenz Cardico 1210	210mm x 300mm	Z-fold	382-335233	10
Kenz Cardico 1211		Z-fold	382-036888	5
Other makes				
Astron Replay	50mm x 5m	Roll	ET5015	10
Astron 12/1	50mm x 30m	Roll	ET5030	10
Astron 12/3	134mm x 30m	Roll	ET13430	10
Astron 3x12I	120mm x 30m	Roll	ET12030	10
Cardiac CR200	50mm x 30mm	Roll	CAR5030	10
Cardiorapid K111	50mm x 15m	Roll	CAR5015	10
Cardiorapid K36	120mm x 30m	Roll	CAR12030	10
Cardiorapid K31-K131	134mm x 30m	Roll	CAR13430	10
CME100P	50mm x 30m	Roll	CME5030	10
ET Microruler 12/1	50mm x 15m	Roll	ELT5015	10
ET Autoruler 12/1	50mm x 30m	Roll	ELT5030	10
ET Excel 103-106	120mm x 30m	Roll	ELT12030	10
ET start 100	130mm x 28m	Roll	ELT13025	10
ET Daed.346 & View	209mm x 20m	Roll	ET20920/1A1	10
ET start 200 & 200HV	209mm x 20m	Roll	ET20920/1A1	10
ET ar2100 & ar2100view	209mm x 20m	Roll	ET20920/1A1	10
ET Daed.346 & View	209mm x 150mm	Z-fold	ET209150P	10
ET ar600 & ar600adv	60mm x 15m	Roll	ET6015	10
ET ar600 & ar600adv	60mm x 75mm	Z-fold	ET6075P	10 x 250
ET ar1200 & ar1200adv	120mm x 20m	Roll	ET12020	10
ET ar1200 & ar1200adv	120mm x 100mm	Z-fold	ET120100P	10 x 250
Esaote C1	50mm x 30m	Roll	OB5030	10
Esaote C3	133mm x 30m	Roll	OB13330	10
Esaote C3 Personal	142mm x 30m	Roll	OB14230	10

Section E ECG EQUIPMENT – PAPER

ECG Equipment - Paper - CONTINUED

Brand:	Size:	Roll/Z-fold pack:	Code:	Quantity:
Fukuda ME 501F & B	50mm x 30m	Roll	FUD5030/1	10
Fukuda ME 501A	50mm x 30m	Roll	FUD501A	10
Fukuda ME 501A	50mm x 70mm	Z-fold	FUD5070P	10 x 400
Fukuda Denshi FK11/12	50mm x 30m	Roll	FUD5030	10
Fukuda D. FD15/16	50mm x 30m	Roll	FUD5030	10
Fukuda D. FX121/1201	50mm x 30m	Roll	FUD5030	10
Fukuda D. FX2111/2155	63mm x 30m	Roll	FUD6330	10
Fukuda D. FX3010	145mm x 30m	Roll	FUD14530/2	10
Hellige Servomed	50mm x 30m	Roll	HE5030M	10
Hellige EK75 100 31	50mm	Roll	HE5050	10
Hellige EK41/51	54mm x 30m	Roll	HE5430	10
Hellige Cardiosmart MAC1200	210mm x 295mm	Z-fold	CG2295	1 x 150
HP 100-200 Pagewriter	210mm x 30m	Z-fold	HP210300P2	10 x 200
Marquette MAC PC	108mm x 23m	Roll	BR10823	10
Marquette MAC 6/12/15	210mm x 280mm	Z-fold	MA210280P	10 x 300
NK6511/6851	50mm x 30m	Roll	NK5030	10
NK5151/6551	50mm x 30m	Roll	NK5030	10
NK6151/6101	50mm x 75mm	Z-fold	FUD5075P	10 x 400
NK8110/9620	63mm x 75mm	Z-fold	NK6375P	10 x 400
NK9020/9021/9010	110mm x 140mm	Z-fold	NK110140P	10 x 140
NK9130/9110/9132	210mm x 140mm	Z-fold	NK210140P	10 x 214
NK9320	210mm x 300mm	Z-fold	NK210300P	5 x 333
Phillips CR100,531, 551,571	50mm x 20m	Roll	PH5020	10
Physio Control LP5	42mm x 16m	Roll	PC4216	10
Physio C. LP4.6.7	48mm x 30m	Roll	PC4830	10
Physio C. LP8.9.10	50mm x 20m	Roll	PC5020	10
Welch Allyn CP100 and CP200	210mm x 280mm	Z-fold	CG9148	200

Reusable ECG Electrodes

- Reusable Electrodes – Silver/Silver Chloride for good signal strength
- Chest Electrodes – traditional suction-cup type
- Limb Electrodes – clamp-type in adult or paediatric sizes, colour-coded

63030163	Suction-cup chest electrode, each
63030163/6	Suction-cup chest electrode x 6
63030106	Limb clamp electrodes, adult, set of 4
63030107	Limb clamp electrodes, paediatric, set of 4
8733405	Limb electrode plate, without strap, each
8940438	Rubber limb strap, for use with 8733405 electrode

Press-Stud Adaptors

- For use with Monicom and other press-stud electrodes
- 4mm lead fitting
- Sold in set of 10 for convenience

63090236	Set of 10 press-stud adaptors

Alligator Clips

- For use with resting ECG tab electrodes
- Easy to apply

CA500	ECG Alligator Clips, in singles

Schiller Biotab Electrodes

CG133	Schiller Biotab Electrodes, pack of 100

Section E ECG EQUIPMENT – ELECTRODES

Q Trace Electrodes

- Single-Use Tab Electrodes – suitable for resting ECG
- Silver/Silver Chloride Contact – superb contact and signal strength
- Manufactured by Tyco Healthcare – quality assured
- Available in bulk

CG131 Q-Trace Gold Electrodes, pack 100

Blue Sensor Electrodes

- Available in bulk

CG136

CG138

CG139

CG136 Blue Sensor ECG Electrodes, pack of 100
CG138/04 Blue Sensor Event Recording Electrodes, pack of 4
CG138/10 Blue Sensor Event Recording Electrodes, pack of 10
CG139 Blue Sensor Tab Electrodes, pack of 100
CG140 Blue Sensor Electrodes, pack of 50 (P-00-5/50)

Red Dot Electrodes

CG134 3M Red Dot Monitor Electrodes, pack of 50
CG135 3M Red Dot Diagnostic Electrodes, pack of 100

CG134

CG135

Other Electrodes

CG128 Nutrace Electrodes, pack of 1000
CG129 Cardiosens II Electrodes, pack of 500